

LAMPIRAN

Lampiran 1. foto saat penelitian.



Lampiran 2. Identifikasi Kriteria Penilaian Fungsi Pohon

Kriteria vegetasi sebagai kontrol suhu

Palem sadeng/ <i>Saribus rotundifolius</i>	2	3	3	3	2	65%
Pucuk merah/ <i>Syngium Myrtifolium</i>	4	4	2	3	3	80%
Jambu/ <i>Psidium Guajava</i>	2	3	3	3	4	75%
Bungur/ <i>Lagerstroemia</i>	3	4	4	3	3	85%
Bunga kertas/ <i>Bougainvillea</i>	3	4	3	3	3	80%
Mangga/ <i>Mangifera Indica</i>	3	3	3	3	3	75%
Kamboja/ <i>Plumeria</i>	2	3	3	3	3	70%
Melinjo/ <i>Gnetum gnemon</i>	3	3	3	3	4	80%
Petai Hutan/ <i>Parkia speciosa</i>	3	4	3	2	3	75%
Mahoni/ <i>Swietenia mahagoni</i>	4	3	3	4	3	85%
Petai Cina/ <i>Leucanea leucocephala</i>	4	4	3	3	3	85%
Kiacret/ <i>Spatodea Campanulata</i>	3	3	3	3	3	75%
Berangan jawa/ <i>Castanopsis javanica tree</i>	4	3	4	4	4	95%
Tabebuaya/ <i>Handroanthus chrysotrichus</i>	4	4	4	4	4	100%
Tanjung/ <i>Mimusops elengi</i>	4	4	4	4	4	100%

Kriteria vegetasi sebagai kontrol angin

Palem sadeng/ <i>Saribus rotundifolius</i>	2	3	3	4	3	75%
Pucuk merah/ <i>Syngium Myrtifolium</i>	3	4	4	4	4	95%
Jambu/ <i>Psidium Guajava</i>	2	2	3	3	3	65%
Bungur/ <i>Lagerstroemia</i>	3	3	4	4	3	85%
Bunga kertas/ <i>Bougainvillea</i>	4	3	2	3	3	75%
Mangga/ <i>Mangifera Indica</i>	3	3	3	4	4	85%
Kamboja/ <i>Plumeria</i>	2	2	2	2	2	50%
Melinjo/ <i>Gnetum gnemon</i>	3	3	4	4	3	85%
Petai Hutan/ <i>Parkia speciosa</i>	3	3	4	3	3	80%
Mahoni/ <i>Swietenia mahagoni</i>	4	4	3	3	3	85%
Petai Cina/ <i>Leucanea leucocephala</i>	4	4	4	3	3	90%
Kiacret/ <i>Spatodea Campanulata</i>	3	4	3	3	3	80%
Berangan jawa/ <i>Castanopsis javanica tree</i>	4	4	4	3	3	90%
Tabebuaya/ <i>Handroanthus chrysotrichus</i>	4	4	4	4	4	100%
Tanjung/ <i>Mimusops elengi</i>	4	4	4	4	4	100%

Kriteria Vegetasi sebagai kontrol kelembaban

Palem sadeng/ <i>Saribus rotundifolius</i>	2	1	1	1	2	35%
Pucuk merah/ <i>Syngium Myrtifolium</i>	4	3	2	2	3	70%
Jambu/ <i>Psidium Guajava</i>	3	3	3	3	4	80%
Bungur/ <i>Lagerstroemia</i>	3	3	4	4	4	90%
Bunga kertas/ <i>Bougainvillea</i>	3	2	2	3	3	65%
Mangga/ <i>Mangifera Indica</i>	3	4	3	3	4	85%
Kamboja/ <i>Plumeria</i>	1	2	3	3	3	60%
Melinjo/ <i>Gnetum gnemon</i>	3	2	2	3	2	60%
Petai Hutan/ <i>Parkia speciosa</i>	3	2	3	3	4	75%
Mahoni/ <i>Swietenia mahagoni</i>	3	4	4	4	4	95%
Petai Cina/ <i>Leucanea leucocephala</i>	3	2	4	3	3	75%
Kiacret/ <i>Spatodea Campanulata</i>	3	3	2	4	3	75%
Berangan jawa/ <i>Castanopsis javanica tree</i>	4	4	3	3	3	85%
Tabebuaya/ <i>Handroanthus chrysotrichus</i>	4	4	4	3	3	90%
Tanjung/ <i>Mimusops elengi</i>	4	4	3	4	4	95%

Kriteria vegetasi sebagai pembatas

Palem sadeng/ <i>Saribus rotundifolius</i>	4	3	3	4	4	90%
Pucuk merah/ <i>Syngium Myrtifolium</i>	4	4	4	4	4	100%
Jambu/ <i>Psidium Guajava</i>	2	3	2	3	3	65%
Bungur/ <i>Lagerstroemia</i>	3	3	3	3	4	80%
Bunga kertas/ <i>Bougainvillea</i>	2	2	2	3	3	60%
Mangga/ <i>Mangifera Indica</i>	3	3	3	3	4	80%
Kamboja/ <i>Plumeria</i>	3	2	2	1	1	45%
Melinjo/ <i>Gnetum gnemon</i>	2	3	3	4	3	75%
Petai Hutan/ <i>Parkia speciosa</i>	3	3	2	2	2	60%
Mahoni/ <i>Swietenia mahagoni</i>	2	3	3	3	3	70%
Petai Cina/ <i>Leucanea leucocephala</i>	3	3	3	3	2	70%
Kiacret/ <i>Spatodea Campanulata</i>	2	3	2	2	2	55%
Berangan jawa/ <i>Castanopsis javanica tree</i>	3	3	3	3	3	75%
Tabebuaya/ <i>Handroanthus chrysotrichus</i>	4	4	4	4	4	100%
Tanjung/ <i>Mimusops elengi</i>	4	4	4	3	3	90%

Kriteria vegetasi sebagai peneduh

Palem sadeng/ <i>Saribus rotundifolius</i>	2	2	2	2	2	50%
Pucuk merah/ <i>Syngium Myrtifolium</i>	2	2	2	2	2	50%
Jambu/ <i>Psidium Guajava</i>	2	2	2	2	2	50%
Bungur/ <i>Lagerstroemia</i>	3	2	4	4	2	75%
Bunga kertas/ <i>Bougainvillea</i>	3	4	3	3	3	80%
Mangga/ <i>Mangifera Indica</i>	3	3	3	4	4	85%
Kamboja/ <i>Plumeria</i>	3	2	2	2	2	55%
Melinjo/ <i>Gnetum gnemon</i>	4	4	3	3	3	85%
Petai Hutan/ <i>Parkia speciosa</i>	1	2	1	1	1	30%
Mahoni/ <i>Swietenia mahagoni</i>	2	3	3	4	4	80%
Petai Cina/ <i>Leucanea leucocephala</i>	3	3	4	3	4	85%
Kiacret/ <i>Spatodea Campanulata</i>	4	4	4	4	4	100%
Berangan jawa/ <i>Castanopsis javanica tree</i>	3	3	4	4	4	90%
Tabebuaya/ <i>Handroanthus chrysotrichus</i>	3	3	4	3	3	80%
Tanjung/ <i>Mimusops elengi</i>	2	3	4	3	3	75%

Kriteria vegetasi sebagai visual

Palem sadeng/ <i>Saribus rotundifolius</i>	3	3	4	4	4	90%
Pucuk merah/ <i>Syngium Myrtifolium</i>	4	4	4	4	4	100%
Jambu/ <i>Psidium Guajava</i>	1	2	2	2	2	45%
Bungur/ <i>Lagerstroemia</i>	3	3	3	4	4	85%
Bunga kertas/ <i>Bougainvillea</i>	3	2	2	3	3	65%
Mangga/ <i>Mangifera Indica</i>	3	3	2	2	2	60%
Kamboja/ <i>Plumeria</i>	3	3	4	4	4	90%
Melinjo/ <i>Gnetum gnemon</i>	3	3	3	3	3	75%
Petai Hutan/ <i>Parkia speciosa</i>	2	2	2	3	3	60%
Mahoni/ <i>Swietenia mahagoni</i>	4	4	4	4	4	100%
Petai Cina/ <i>Leucanea leucocephala</i>	2	3	2	3	3	65%
Kiacret/ <i>Spatodea Campanulata</i>	3	3	4	3	4	85%
Berangan jawa/ <i>Castanopsis javanica tree</i>	4	4	4	4	3	95%
Tabebuaya/ <i>Handroanthus chrysotrichus</i>	4	4	4	4	4	100%
Tanjung/ <i>Mimusops elengi</i>	4	4	4	4	4	100%

Kriteria vegetasi sebagai kontrol bunyi

Palem sadeng/ <i>Saribus rotundifolius</i>	1	2	1	1	1	30%
Pucuk merah/ <i>Syngium Myrtifolium</i>	3	3	3	4	4	85%
Jambu/ <i>Psidium Guajava</i>	2	3	3	2	2	60%
Bungur/ <i>Lagerstroemia</i>	3	3	3	4	4	85%
Bunga kertas/ <i>Bougainvillea</i>	4	3	3	3	3	80%
Mangga/ <i>Mangifera Indica</i>	3	3	3	3	3	75%
Kamboja/ <i>Plumeria</i>	1	2	1	1	2	35%
Melinjo/ <i>Gnetum gnemon</i>	3	3	4	4	4	90%
Petai Hutan/ <i>Parkia speciosa</i>	4	4	4	3	3	90%
Mahoni/ <i>Swietenia mahagoni</i>	4	4	3	3	3	85%
Petai Cina/ <i>Leucanea leucocephala</i>	4	4	3	3	3	85%
Kiacret/ <i>Spatodea Campanulata</i>	2	3	3	4	3	75%
Berangan jawa/ <i>Castanopsis javanica tree</i>	3	3	3	4	4	85%
Tabebuaya/ <i>Handroanthus chrysotrichus</i>	4	3	3	4	4	90%
Tanjung/ <i>Mimusops elengi</i>	4	4	4	4	4	100%

